



KOALA WINDSOCKS®

Dealer Sizing Sheet

Available exclusively from:

Koala Windsocks, PO Box 1662, Dee Why NSW 2099, AUSTRALIA - Ph: (+61)412-163-772 Fax: (+61)2-9981-7129

Not all microphones from all microphone manufactures are listed here. There are several sizes of foam available from foam suppliers, please do check what foam is on your microphone.

(check down the page for further size measurements)


Brand	Microphone	Koala Fluffy	Koala Mini-max	Koala Soft
AKG	CK68 Short, 69, C568EB	3	190	S41G, B
	CK8 460		190	S41G, B
Audio Technica	AT835ST, 897, R55	3	190	S41G, B
	AT4073a, 877	2	160/190	S41G, B
	AT835b		190	S41G, B
Azden	SGM1X	3	190	S41G, B
	SGM2X (Card)		190	S41G, B
	SGM2X (Omni)	2	160	
Beyer	MCE716, 726	3	190	S41G, B
	MCE736	3/4	190	S41G, B
	MCE86NCS	4	190	S41G, B
	MCE87vs	4	190	S41G, B
Canon Camera	Model: XL1, 1S	1		
Ikegami Camera	Model: MC11	1	130	
Neumann	KMR81i	3	190	S41G, B
	RSM191		130	
Panasonic	AJD210, D215, D400	3	190	S41G, B
	DVC Pro400	1	130	
PSC	DV SGM1	2	120	
Rode	NTG1	2	160	
	NTG2	2	160	
Sanken	CS1	2	160	
	CS3	3	190	S41G, B
Sennheiser	MKH416, 418S, ME80 3U	3	190	S41G, B
	MKH60, ME66, ME80	4	190	S41G, B
	MKH80	1	130	

Schoeps	CMIT-5U	2	130	
Sony Sony Camera	ECM670, 674, 678	3	190	S41G, B
	ECM672	4	190	S41G, B
	BVW200-600, DNW7, 790, 9NSP, 90, 90SX, 90WSP, DVW400-709, HD905P	1	130	
	ECM-NV1, PD150, 170	2	120	

If your microphone is not in this list, there are two simple measurements to check which product suits you, the length of the fin (slotted) area and the diameter for the Koala Fluffy and the length of the existing foam for the Koala Mini-MaX.

Use	Example	KoalaMax	Windcover	Hand Max	Baby Koala
Most lavalier mics (lapel)	Eg. Sanken COS11, Tram etc				BK1B, W, G, Bg.
Most hand held style mics	Eg. Shure SM58, EV-RE50, Sony CMS7 etc			H60B	
Rycote's Zep. Housing (Pre March 2004)	MKH416	M41G, M41B	W41G		
	MKH816	M81G, M81G	W81G		
	MKH60	M60G, M60B	W60G		
Rycote's WS4 Zep. Housing (Post March 2004)	WS4	MS4G, MS4B	WS4G		
Sennheiser's Zep. Housing	MZW-60/1 MKH416	MS4G, MS4B	WS4G		
	MZW MKH816	M81GS, M81BS			


How to measure to find a Koala Fluffy to suit



Koala Fluffy	Microphone Diameter	Fin (slot) length max.
1 - (KF1B)	23-25mm (.905" - .984")	100mm (3.93")
2 - (KF2B)	18-22mm (.708" - .866")	125mm (4.92")
3 - (KF3B)	18-22mm (.708" - .866")	180mm (6.69")
4 - (KF4B)	23-25mm (.905" - .984")	180mm (6.69")

Fin (slot) length maybe less that listed above. However must not be more as all fins (slots) must be covered.

How to measure to find a Koala Mini-MaX to suit



Koala Mini-MaX	Foam length (<i>Approx. due to foam flex</i>)
120	120mm (5.25")
130	130mm (4.72")
160	160mm (6.3")
190	210mm (8.375")

| [Home](#) | [About us](#) | [News](#) | [Contact](#) | [Ordering](#) | [Products](#) | [Retailers](#) | [Resellers](#) | [Brochure](#) |

Copyright Koala Windsocks 2006 All rights reserved

Web Design by Australdata.com